

FINISHES

# **FINISHES**

### I. EXTERIOR

CHARACTERISTICS OF THE EXTERNAL ENVIRONMENT 4 OF THE FRACTION AND COMMON AREAS

## 2. SPECIAL FACILITIES

INFRASTRUCTURES	6
3. INTERIORS	
DRY AREAS	8
KITCHEN	9
BATHROOM	10
LAUNDRY ROOMS	11
STAIRS	11
CARPENTRY	11
GARAGE	11



## I. EXTERIOR

# CHARACTERISTICS OF THE EXTERNAL ENVIRONMENT OF THE FRACTION AND COMMON AREAS

WALLS	Thermal block, thermal insulation in EPS of 60mm (outside) throughout the opaque building envelope.
FACADES	Facade finish with antifungal plastic coating and ventilated facade in compact pheno- lic panel or treated wood.
WINDOWS	<ul> <li>Minimalist aluminum window frames in the series:</li> <li>Cortizo COR vision sliding, RAL 7024 (anthracite), with double glazing (6mm + CX 16mm argon + 5mm);</li> <li>Cor60 Hidden Leaf with RPT (opening), RAL 7024 (anthracite), with double glazing (6mm + CX 16mm argon + 5mm);</li> <li>Skylights in bathrooms and stairs area in aluminum in Cor60 series Foil Hidden with RPT (opening), RAL 7024 (anthracite), with double glazing (6mm + CX 16mm argon + 5mm);</li> <li>Security door in RAL 7024 (anthracite).</li> <li>Stained glasses with thermal and acoustic high-performance characteristics.</li> </ul>
OUTDOOR BLINDS	Retractable and rotating external blinds, Solar Breeze type, aluminum profile 80mm blade, RAL 7024 (anthracite), with lacquered mechanism box to the colour, normal side guides and lacquered extruded aluminum lower terminal to the colour, inclu- ding motor-activated fixation system.



BALCONIES	Ceramic ''deck'' type balcony floors with metal guardrails.
GARAGE GATE	Sectional door in RAL 7024 (anthracite) with motor activation.
ENTRANCE GATE	White steel gate with motor activation and opening man's door.
EXTERIOR WALLS	White painted walls.
PRIVATE AREA	Microcube in circulation areas. Grass in garden areas. Ceramic type ''deck'' in the dry area in the back garden.
COMMON AREA	Grass. Ceramic in the pool area.
RECREATIONAL EQUIPMENT	Swimming pool for adults, swimming pool for children and playground.

# 2. SPECIAL FACILITIES

**INFRASTRUCTURES** 

CLIMATIZATION	Heating/cooling by means of underfloor heating (of fluid) associated with a mono- block heat pump, with thermostat for temperature regulation.
AIR EXTRACTION / VENTILATIONS	Exhaust ventilation with a double flow Controlled Mechanical Ventilation (CMV) unit with Cwith an efficiency of up to 95%, type Pro- teu Luxor.
WATER HEATING	Water-consumption heating system with 300 litre tank heat pump.
ELECTRIC POWER PRODUCTION	Photovoltaic system for the production of electricity for own consumption.
ALARM	Pre-installation of alarm.

CURTAINS

Built-in rails with pre-installation and with motor



Optical fiber sockets, telephone, internet and TV.



#### LIGHTING AND NETWORK

Various LED lighting (tapes and spotlights) in false ceilings by sectors.



ELECTRIC CHARGING

#### STATION

Pre-installation of network for electric charging socket for car.





## 3. INTERIORS DRY AREAS

FLOOR	Floating floor composed of a noble wood layer, on a plywood support, of the Strong Wood Floors type.
WALLS	Walls in plasterboard plastered and painted with CIN Vinylmatt type paint. Applications of wood panels in MDF veneered with natural wood at full height.
CEILINGS	False ceiling with acoustic insulation, plastered and painted with CIN Ceiling paint.
CABINETS	Cabinets/wardrobes with ash veneer MDF fronts, melamine chipbo- ard interior, including full-height doors, 3-drawer module, clothes rails, shelves, hardware and stainless steel accessories.

#### KITCHEN

**FLOOR** Floating floor composed of a noble wood layer, on a plywood support, of the Strong Wood Floors type or large ceramic Kerlite Slimtech type.

WALLS Walls in plasterboard plastered and painted with CIN

- **CEILINGS** Water-repellent false ceiling, acoustic insulation, plastered and painted with CIN Ceiling paint.
- **CABINETS** Kitchen furniture in high gloss thermolaminate and Interiors in water-repellent agglomerate consisting of upper and lower furniture and island, including removable footboard with seal, hinges and drawers with shock absorber, cutlery holder and trash can.

KITCHENKitchen countertop and covering between counter and furniture in Compact-type compositeCOUNTERTOPstone or Neolith- type ceramic.

Stainless steel bowl and mixer tap with Roca type

#### KITCHEN EQUIPMENT



HOB

Bosch/ Siemens Induction hob.



EXTRACTOR

Bosch/ Siemens extractor.



OVEN

Bosch/ Siemens built-in oven.



MICROWAVE

Bosch/ Siemens built-in microwave.



#### BATHROOM

**FLOOR** Floating floor composed of a noble wood layer, on a plywood support, of the Strong Wood Floors type or large ceramic type Kerlite Slimtech. WALLS Walls in water-repellent plasterboard plastered with large dimensions ceramic covering of Kerlite Slimtech type or natural stone. CEILINGS Water-repellent false ceiling with stone wool acoustic insulation, plastered and painted with CIN Ceiling paint. SANITARY Sanitary ware: free-standing washbasins, wall-hung ware and bathtub/ shower hobs from the Ona da Roca collection. EQUIPMENT Taps: mobile and wall-mounted mixers, with thermostatic solution in bathtube/ shower hobs from the Ona da Roca collection. **WASHBASIN** Top in water-repellent MDF, wall-mounted structure, with shock absorber drawers/doors and mirror. **CABINETS** 



#### LAUNDRY ROOMS

FLOOR	Roca type large ceramic flooring.
WALLS	Walls plastered, tinned and painted with CIN Vinylmatt paint. Roca type Ceramic coated paneling of large dimensions.
CEILINGS	Water-repellent false ceiling, with acoustic insulation, plastered and painted with CIN Ceiling paint.
STAIRS	
FLOOR	Solid wood steps.
HANDRAIL	Metal guardrail painted in anthracite color and wooden handrail.
CARPENTRY	Full-height interior doors, covered in ash MDF veneered.
TRIMS AND FOOTBOARD	Ash MDF veneered trim and footboard, wall-mounted.
GARAGE	
FLOOR	Plain concrete with mechanical trowel finish in gray.
WALLS	Walls plastered, tinned and painted with CIN Cináqua paint.
	, , , ,
CEILINGS	Plastered and tinned ceiling, with CIN Ceilings paint.

The images presented are merely illustrative, and may not really represent the final construction. The possibility of the project being subject to changes is safeguarded.

